

THEATER AAN HET SPUI

(070)3465272 / Spui187 2511BN Den Haag / www.theateraanhetspui.nl

Technical rider Main stage/Zaal 1. Version: September 2016.

General

Theatre	Black box
Tribune	Telescopic tribune (retractable)
Total seats	346
Ceiling	6 lighting bridges.
Stage floor	A wooden sprung floor with floor heating

Dimensions stage (in meters)

Width	18,00 from wall to wall
	16,60 between side masking
Depth	13,00 from tribune to rear wall
	11,90 from tribune to backdrop
	12,00 from 0-point to rear wall
	10,90 from 0-point to backdrop
	23,00 retracted tribune to rear wall
Free height	7,40 from floor to lighting bridge
	9,20 between lighting bridges (till fly-bars)
	2,40 door loading dock

Masking

Side masking (black, ruffed)	In rail, under lighting bridges
Backdrop (black, ruffed)	In rail, under lighting bridge
Legs (black, ruffed)	Max. 5 set
	Opening between 8,80 – 15,50 meters
Borders (black, ruffed)	2x 13,60x3,00 meters
	3x 13,60x1,80 meters
Cyclorama (white)	13,60x7,30 meters
Gauze (black)	13,60x7,30 meters
Front curtain	No
Marley floor	Black/Grey. Covers the entire stage

THEATER AAN HET SPUI

(070) 3465272 / Spui 187 2511BN Den Haag / www.theateraanhetspui.nl

Fly facilities

Number of bars	22
Control	Yellow box, one speed
Length of the bar	13,60 meters
Maximum height	9,20 meters
Maximum load	250 kg
Side bars	1 left and 1 right
Check the ground plan (Bruggenplan) for specifications	

Light

Lighting console	ETC Ion with Wing
Dimmers ETC	148 (3 kW) on the bridges 12 (5 kW) on the bridges 7x multi-core on the bridges 40 (2,5 kW) on the floor
Sockets	CEE form
Follow spot	No
FOH bridge (fixed)	12x Enizoom profile Niethammer HPZ215 2kW 12x ADB PC C201/S with barndoor 2kW
Bridges	70x Selecon pacific 23-50 incl. iris. 800 W. 12x ADB Fresnel C201/F with barndoor 2kW 20x PAR64 230V, 1kW CP62 medium 20x Par64 230V, 1kW CP61 narrow
Additional	4x Six-bar Par64 110V, 1kW; serial and parallel * 12x Par64 230V, 1kW CP61 narrow* 12x PAR64 230V, 1kW CP62 medium* 20x Selecon pacific 23-50 incl. iris. 800 W*
Cyclorama lights	4x. Each 4x 1kW Theatro Deluvio 1000

THEATER AAN HET SPUI

(070)3465272 / Spui187 2511BN Den Haag / www.theateraanhetspui.nl

Sound

FOH

L&R	Each side 2x d&b C7 (hang)
Centre	4x d&b MAX15
Sub	4x C7 (hang)
Front fills	2x d&b MAX15
Surround	2x PL Audio F10

Stage monitor 4x d&b MAX15

Mixers Avid SC-48
Yamaha o1v96*

Additional BSS Soundweb London
2x CD player Denon*

Microphones and stands On request

FOH multi-core 4x 12 channel: Left and right, up and down stage

Video

Projector	Eiki EK-800U 12000 Ansi lumens** Lens: 2.00 – 4.00
Projection screen	16:9; 6,30 x 3,54 meters*

THEATER AAN HET SPUI

(070)3465272 / Spui187 2511BN Den Haag / www.theateraanhetspui.nl

Power current

Socket (CEE-red)

Upper-left 1x 32A (sound), 1x 63A (sound)
Upper-right 1x 63A
Backstage 1x 125A*, 1x 63A*
FOH 1x 32A
On the bridges 1x 32A, 4x 16A

Additional

Grand piano

Schimmel 208 T, black**

Piano

Yamaha U3, black**

Personnel lift

Novon AMWP7.5 1000, max platform height
7,50m*
Alp PHCI 940, max platform height 9,40m*

Intercom

ASL intercom. 5x belt pack (wired)*

Hazers

Martin JEM K1, DMX*
DF-50*

Dressing rooms

5x 4 persons with shower and toilet
1x 4 persons without shower and toilet

THEATER AAN HET SPUI

(070)3465272 / Spui187 2511BN Den Haag / www.theateraanhetspui.nl

Contact en information

General	kantoor@theateraanhetspui.nl	+31(0)70 302 40 70
Box office	kassa@theateraanhetspui.nl	+31(0)70 346 52 72
Website	www.theateraanhetspui.nl	
Technical departement	techniek@theateraanhetspui.nl	
Technical director	egbert@theateraanhetspui.nl	+31(0)70 302 40 78
Technical manager	djurre@theateraanhetspui.nl	+31(0)70 302 40 95

Address

Theater aan het Spui
Spui 187
2511 BN Den Haag

Loading dock

Address: Kranestraat 10, 2512 AE Den Haag.

Pay attention! Big trucks should be driving backwards into the Kranestraat, from the Amsterdamse Veerkade.

Each stage has one loading dock. It's possible to leave your truck there during your stay.

Length loading dock: 20 meters.

Loading platform is 0,90 meters high from street level.

Doors to main stage/zaal 1 are 2,20 x 2,40 meters (wxh).

Doors to small stage/zaal 2 are 2,20 x 2,17 meters(wxh).

Address zaal 3, also loading dock.

Theater aan het Spui Zaal 3
De Constant Rebecqueplein 20-A
2518 RA Den Haag

THEATER AAN HET SPUI

(070)3465272 / Spui187 2511BN Den Haag / www.theateraanhetspui.nl

- * This equipment is used for main stage, small stage and auditorium. Please ask in advance for it's availability.
- ** These items are not included. Please contact us for more info.

Standard working hours for our technical crew:

10.00 – 12.30 h	set up
12.30 – 13.00 h	lunch
13.00 – 17.00 h	set up
17.00 – 19.00 h	diner
19.00 – end	show and load out

A set up day ends at 22:00 h.

In case of working during the breaks, there will be a charge of 25,- euro per person per hour. And it's only possible in consultation with the technical manager.

