

# **Theater aan het Spui**

## **Technical rider Small stage/Zaal 2.**

Version: August 2019

### **General**

Theatre	Black box
Tribune	Telescopic tribune (retractable)
Total seats	160
Stage floor	A wooden sprung floor with floor heating

### **Dimensions stage (in meters)**

Width	11,00 from wall to wall 10,20 between side masking
Depth	9,00 from tribune to rear wall 8,10 from tribune to backdrop 7,50 from 0-point to rear wall 6,60 from 0-point to backdrop 16,00 retracted tribune to rear wall
Free height	5,40 from floor to lighting bridge 7,65 between lighting bridges (till fly-bars) 2,20 doors loading dock
Masking	
Side masking (black, ruffed)	In rail, under lighting bridges
Backdrop (black, ruffed)	In rail, under lighting bridge
Legs (black, ruffed)	Max. 1 set Opening between 2,60 – 9,00 meters
Borders (black, ruffed)	1x 11,00x2,85 meters 2x 11,00x1,85 meters
Cyclorama (white)	1x 7,30x6,00 meters 1x 10,50x5,60 meters
Gauze (black)	No
Front curtain	No
Marley floor	Black/Grey. Covers the entire stage

## Fly facilities

Number of bars	14
Control	Varicon
Length of the bar	8,00 meters
Max. height	7,65 meters
Max. load	250 kg
Max. load under steelcable	150 kg
Max. Load between steelcables	100 kg
Max. load pipe end	35 kg
<b>Side bars</b>	1 left and 1 right
Max. height	5,50 meter
Max. load	250 kg
Max. load under steelcable	150 kg
Max. load between steelcable	100 kg
Max. load pipe end	35 kg

Check the ground plan (Bruggenplan) for specifications

## Light

Lighting console	ETC Ion with Wing
Dimmers ETC	78 (3 kW) on the bridges 4 (5 kW) on the bridges 40 on multi-core on the bridges 16 (2,5 kW) on the floor
Sockets	CEE form
Follow spot	No
Bridges	40x Selecon pacific 23-50 incl. iris. 800 W. 18x ADB Fresnel F101 with barndoor 1kW 20x PAR64 230V, 1kW CP62 medium 20x Par64 230V, 1kW CP61 narrow
Additional	20x Selecon pacific 23-50 incl. iris. 800W 6x 4-bar Par64 230V, 1KW CP62 medium* 6x 4-bar Par64 230V, 1KW CP61 narrow*
Cyclorama lights	3x. Each 4x 1kW Theatro Deluvio 1000

## Sound

### FOH

L&R Each side 2x d&b Y7P (hang)

Centre No

Sub 2x d&b V-SUB

Surround 2x PL Audio F8

Additional speakers 2x d&b Y7P

**Stage monitor** 2x d&b MAX15

Mixers Avid S3L-X incl. Stage-rack 32 channels

Additional 2x CD player Denon\*

Microphones and stands On request

FOH multi-core 3x 12 channel: Left and right down & Left up stage

## Video

Projector Eiki LC-HDT700 7000 Ansi lumens

Lens: 2.1 – 2.8

Projection screen 16:9; 6,30 x 3,54 meters\*

## Power current

Socket (CEE-red )

Upper-left 1x 32A (sound)  
Backstage 1x 125A\*, 1x 63A\*  
FOH 1x 32A  
On the bridges 4x 16A

## Additional

Grand piano  
Piano

Schimmel 208 T, black\*  
Yamaha U3, black\*

Personnel lift

ALP AMWP9.5-1100, max work height 9,50m\*  
Alp AWP 12-1000, max work height 12,00m\*

Intercom

ASL intercom. 4x belt pack (wired)\*

Hazers

Martin JEM K1, DMX\*  
DF-50\*

Smoke machine

Martin JEM ZR45, DMX\*

Stage decks

6x 2x1m. All stage decks have 20,40,60,80 and 100 cm legs

Dressing rooms

1x 3 persons with shower and toilet  
1x 8 persons with shower and toilet

## Contact en information

General	<a href="mailto:receptie@hnt.nl">receptie@hnt.nl</a>	+31(0)88 356 53 56
Box office	<a href="mailto:kassaspui@hnt.nl">kassaspui@hnt.nl</a>	+31(0)88 356 53 56
Website	<a href="http://www.hnt.nl">www.hnt.nl</a>	
Technical manager	<a href="mailto:djurrevandevlekkert@hnt.nl">djurrevandevlekkert@hnt.nl</a>	+31(0)88 356 52 43

### Address

Theater aan het Spui  
Spui 187  
2511 BN Den Haag

### Loading dock

Address: Kranestraat 10, 2512 AE Den Haag.

**Pay attention! Big trucks should be driving backwards into the Kranestraat, from the Amsterdamse Veerkade.**

Each stage has one loading dock. It's possible to leave your truck there during your stay.

Length loading dock: 20 meters.

Loading platform is 0,90 meters high from street level.

Doors to main stage/zaal 1 are 2,20 x 2,40 meters (wxh).

Doors to small stage/zaal 2 are 2,20 x 2,17 meters(wxh).

\* This equipment is used for main stage, small stage and auditorium. Please ask in advance for it's availability.